




IMPROVE FUEL ECONOMY // LOWER CARB

ANA HYBRID ENERGY SYSTEM PRODUCT FEATURES

- Ultra-high Life Cycle Lithium Battery Technology
 - Up to 20 times more than Lithium Iron Phosphate
- Safer Battery Technology = No Thermal Runaway
 - EBOSS™ requires no additional HVAC or Fire Supression
- Widest Operating Temperature Range
 - Charging/Discharging Temp. Range: -22°F to 130°F
 - Storage/Operating Temp. Range: -40°F to 130°F
- High-voltage DC Bus Architecture
 - · Stackable Options & Future Capabilites
- Industrial Grade Power Conversion System and Components
- Towable All-In-One Design and Built to Last
- Simultaneous Output Voltages
 - Single-Phase 110 / 240
 - Three-Phase 208 / 240 / 480
- Large 10" Display
- Remote Access & Monitoring of Both Generator and EBOSS™ Hybrid Energy System

BENEFITS

- Reduced Green House Gas (GHG) Emissions
- Reduced Fuel Consumption
- Reduced Noise / More Quiet Time
- Cost Effective and High ROI
- Low Maintenance
 - Cost and Service Savings
- Easy Handling & Storage







Touchscreen Control Panel

Single-Phase 110/220V Three-Phase 208/240/480V Receptacle Outlets All voltages are available

simultaneously

Large 10" Display




CONTACT ANA SALES AT (562) 450-3570

FOR EXCLUSIVE EBOSS™ PRODUCT INFORMATION

ON EMISSIONS // SLASH RUNTIMES // REDUCE NOISE LEVELS

ANA HYBRID ENERGY SYSTEMS BATTERY COMPARISON EBOSS™

BATTERY SPEC.	LEAD ACID			LITHIUM ION			EBOSS™	
BATTERY TYPE	AGM	FLA	FLA Ind.	LiFePO4	LiFePO4	NMC	HES	HES
KILOWATT-HOURS	60 kWh							
DEPTH OF DISCHARGE	50%	50%	50%	80%	100%	80%	80%	100%
CYCLE LIFE @ 77° F	1,200	1,600	4,100	5,000	3,000	1,500	90,000	20,000
LIFETIME CUMULATIVE DISCHARGE (MWH)	36	48	123	240	180	72	5,400	1,200



EBOSS™ HYBRID ENERGY SYSTEMS

ANA EBOSS™ HYBRID ENERGY SYSTEMS DELIVER ENERGY SECURITY. LOWER EMISSIONS & LOWER OPERATING COSTS

The ANA EBOSS™ Hybrid Energy Systems are a breakthrough in hybrid power generation. The new mobile platform pairs top tier generators with cutting edge battery technology and proprietary controls for demanding power needs.

Energy Security: The ANA EBOSS™ Hybrid Energy System features fast charge, high life cycle battery technology as the primary source of power, with the genes providing recharging current or when loads are elevated for longer run times. Fully automated, the EBOSS™ Series can produce sustained quiet power in virtually any environment under extreme temperatures.

Lower Emissions: AMA Hybrid Energy Systems are more energy efficient than standalone generators as the new ANA battery technology reduces the generator runtime and significantly reduces carbon dioxide emissions.

Lower Costs: Reduced generator runtimes drive down fuel consumption and maintenance costs. The integrated ANA EBOSS[™] battery technology will reduce operating expenses (depending on site load) between 50% and 80%. All ANA EBOSS[™] models also include access and monitoring to manage power anytime, ensuring additional cost savings and more control.

BATTERY SIZE - VS - FUEL CONSUMPTION

BATTERY SIZE COMPARISON	15 kWh	30 kWh	60 kWh				
GENERATOR OUTPUT	20 kW						
AVERAGE LOAD	5 kW						
AVAILABLE POWER TO CHARGE	15 kW						
GENERATOR ON	1 Hour	2 Hours	4 Hours				
GENERATOR OFF	3 Hours	6 Hours	12 Hours				
GENERATOR ON (IN 24 HOURS)	6 Hours						
GENERATOR OFF (IN 24 HOURS)	18 Hours						
FUEL CONSUMPTION PER DAY (APPRX.)	10 gallos						
BATTERY CYCLES PER DAY	6	3	1.5				
REDUCED GENERATOR HOURS	Up to 75%						

All specifications are subject to change without prior notice. Contact ANA, Inc. for the most current information.



ULTRA-HIGH LIFE CYCLE BATTERIES



LOWER NOISE POLLUTION



LESS FUEL



LESS
CARBON DIOXIDE
FMISSIONS



REMOTE ACCESS
MONITORING &
TRACKING

IS A BIGGER BATTERY BETTER?

- A bigger battery does not save fuel, reduce emissions, or reduce generator hours.
- Spending more on batteries does not earn you more money. Smaller batteries increase your dollar utilization and improve your total ROI over a bigger battery.
- A bigger battery will reduce the number of cycles. Low cycle life AGM and Lithium Iron Phosphate batteries are typically offered in 90 kWh or 120 kWh in an attempt to reach to 10-year cycle life.

ANA, Inc. Executive Office

1770 Raiders Way, Henderson, NV 89052

ANACORP.COM

(562) 450-3570 // sales@anacorp.com



